

WELCOME
USHA ELEVATORS & HYDRAULICS
ESTB: 2014 MEERUT

*Trusted and source for all type of
industrials Loading and
Unloading Equipments:.*

INTRODUCTION

1. USHA ELEVATORS & HYDRAULICS was established in 2014 by Mr. RAHUL KUSHWAHA & Registered under Utter Pradesh Govt. VAT
2. We have 15 Years experienced professionals of Industrial Materials handling Equipments.
3. We have area of 4500 Sq. Ft. with in-house fabrication & assembly shop.
4. We have One machine Shop at Ghaziabad (UP) and also havinng Two service centor 1. in Faridabad (HR) and 2nd Another in Kolkata (W.B.)
5. We have more experienced Service team of 32 s peoples for providing timely and better service.
6. We have 4 - 4 peoples 3 teams for erection & Commissioning at Site

COMPANY certificate **DETAILS**

- Registered Under Uttar-perdesh Govt. VAT.
- Registered Under Ministry of Micro, Small and Medium Enterprises (MSME).
- Registered Under GST.
- UP. Vidyut safety directorate.2024.

COMPANY REGISTRATION

- GSTIN No- 09BWTPR3781H1ZN
- COMPANY PAN No- BWTPR3781H
- MSME REG: NO- UPUDYAM-UP-56-0017966

COMPANY ADDRESS

- **Regd. office Address-1:-** Flat no- 18B CCS. Market near Karnal road Meerut (UP) 250001 India.
- **Works 1:-** plot no-108/76 village seekri behind of D.P.S.G school Ballabgrah Faridabad 121004 India.
- **Office -2:-** plot no-1a Gazipura near ambedker chowk nawada road Saharanpur.. 247001.

COMPANY BANK DETAILS

- Name- PNB-PANJAB NATIONAL BANK
- Bank Address- KENKERKHERA , Meerut (UP)
- Account No- 0729002100019841
- Account Type- Current Account
- IFSC/RTGS Code- PUNB0000729
- PIN-CODE -250001

MAJOR CLIENTS

- M/S- JCB INDIA LIMITED.
- M/S- ORIENT ELECTRICAL LTD.
- M/S- BONY GROUP OF COMPANIES.
- M/S- OSWAL CASTINGS PVT.LTD.
- M/S- VICTORA TOOLS PVT.LTD.
- M/S- NAINI PAPERS LTD.
- M/S- HINDWARE LIMITED.
- M/S- CELLO PENS LIMITED .
- M/S- FLAIR WRITING INDUSTRIES LIMITED.
- M/S- RANI ELECTRODES PVT.LTD.
- M/S- HIGHWAY INDUSTRIES LTD
- M/S- JUBLIENT AGRI CUNJUMERS LTD.
- M/S- POLYMEDCURE PVT.LTD.
- M/S- VED ASSOCIATE PVT.LTD.
- M/S- SHREE SAINATH PVT.LTD.
- M/S- RADHEY LAL NAMKEEN PVT.LTD.

MAJOR PRODUCTS

- Traction Goods Lifts
- Freight Elevators
- V.R.C. Lifts
- Industrial Elevators
- Conveyor Systems
- Hydraulic Passenger Lifts
- Passenger Lifts
- E.O.T. Cranes
- H.O.T. Cranes
- Jib Cranes
- Gantry Cranes
- Scissor Lifts.
- Belt conveyors
- Die loader
- Truck loader.

INFRASTRUCTURE

- We have a In-house Design department who work on 2D & 3D CAD softwares.
- We have In-house machining facility.
- Our QA department follow stringent norms on Machining items.
- We have In-house painting / finishing setup for MS material & we have developed quality vendors for Powder coating of all MS material.
- We have developed Technically competent vendors for Electrical panel needs, which include from Simple panels to complicated PLC panels with Touch screen controls, HMI, etc.
- We have Direct & Indirect exports to many companies
- In coming slides, we wish to show-case come of the Prestigious projects successfully commissioned by USHA ELEVATORS& HYDRAULICS in last 7 years.

Freight Elevator (Counter Weight Type)

Specifications

1. Industrial Elevator to carry goods from one floor to another
2. Maximum Capacity up to 5.0 Ton.
3. Maximum height up to 60.0 Mtr.
4. Maximum Car Size up to 4.5 x 4.5 Mtr.
5. Required Pit Depth 1600 MM
6. Required Head Room 4200 MM
7. Required machine Room 2250 MM
8. Available into MS Self Supporting Structure also



Goods Lift (Winch/Drum Type)

Specifications

1. Industrial Elevator to carry goods from one floor to another
2. Maximum Capacity up to 7.5 Ton.
3. Maximum height up to 40.0 Mtr.
4. Maximum Car Size up to 4.5 x 6.0 Mtr.
5. Required Pit Depth 600 MM
6. Required Head Room 4200 MM
7. Required machine Room 2250 MM
8. Available into MS Self Supporting Structure also



Hydraulic Wall Mounted Lift (Single Mast)

Specifications

1. No Need of Pit
2. No Need of Machine Room
3. Low Maintenance Cost
4. Low Power Consumption
5. Install any where (Inner or Outer)
6. Maximum Capacity up to 2.0 Ton.
7. Maximum height up to 11.0 Mtr.
8. Dual Safety-Hydraulic Cylinder Support, Wire Rope Support, Nylon Guide Support



Hydraulic Wall Mounted Lift (Double Mast Type)

Specifications

1. No Need of Pit
2. No Need of Machine Room
3. Low Maintenance Cost
4. Low Power Consumption
5. Install any where (Inner or Outer)
6. Maximum Capacity up to 3.0 Ton.
7. Maximum height up to 10.0 Mtr.
8. Dual Safety-Hydraulic Cylinder Support, Wire Rope Support, Nylon Guide Support



E.O.T Crane

Specifications

1. Single Garter
2. Double Garter
3. Min Capacity- 0.5 Ton.
4. Max Capacity- 25.0 Ton.
5. Location:- Inside or Outside both Place
6. Structure:- Available into MS Self Supporting Columns structure also
7. Long Travel:- Up to as per Requirement
8. Cross Travel: Up to as per Requirement
9. DSL System Available
10. Speed:- Dual Speed or Adjustable through VVFD Drive



Scissor Lifts (Fixed Type or Movable Type)

Specifications

1. Use for Lifting the material and transforming from one place to another
2. Available into Different Capacity as you required
3. Maximum Lifting height is 6.0 Mtr.
4. Platform Size as per requirement
5. Install any where inner or outer location
6. Available into both situation Fixed type or Movable type
7. Available Into Three Operations- Manually, Electrically, Battery Operated
8. Long Life and Reliable product



SCISSOR CAR LIFT

1. **Specifications:**
2. Specially used for lifting of cars from one floor to another
3. Max. Lifting height Up to Two Floors means 8.0 Mtr.
4. Platform Size 5000 X 3000 MM Standard for Cars
5. Low Maintenance and Reliable product for Lifting of Car
6. No need of Machine room



Hydraulic Dock Leveler

Specifications

1. Using for Loading and unloading of material from trucks
2. Based on Hydraulic technology
3. Available into different capacity
4. Push Button Operated



Industrial JIB Crane

Specifications

1. Using for Lifting and Transforming material from one place to another
2. Rotation up to 360 Degree
3. Arm Length Up to 6.0 Mtr
4. Lift Height Up to 6.0 Mtr
5. Operation Manually or Electrically both type
6. Install any where inside or outside of Building



Hydraulic Home Lifts

Specifications

1. No Need of Pit
2. No need of Machine room
3. Personnel or Commercial both purpose use small lifts
4. Carry up to 6 persons
5. Max Lift height 9.0 Mtr
6. Install any where inside or outside of building
7. Low maintenance cost
8. Low power consumption
9. Open Type of Fully Covered design
10. Decorated



Passenger Elevator

Specifications

1. Best for hotels, malls, Commercial Buildings and Personnel
2. Min Capacity 4 person and Max 24 persons
3. Carry up to lots of no of floors
4. Cabin design as per customer requirement
5. Automatic Doors with centre Opening & Side opening both types
6. Touch screen type LOP or COP facility



Electric Wire Rope Hoist

Specifications:

1. **Capacity : 1 to 45 Tons**
2. High Speed & Low Speed
3. Heavy Duty & Medium Duty
4. High Quality Gear reduction
5. Continuous Rated Motor
6. Modular Construction
7. Limit Switches
8. Higher Safety Factor



Hydraulic Hand Pallet Truck

Specifications:

1. Suitable for internal movement operations
2. Ergonomic Handle Encase
3. Built Durability
4. 85 mm Lowered Height
5. POWERED
6. Key Feature: Heavy duty steel construction and effortless
7. pump unit with super large piston, to reduce operating efforts



CONVEYOR SYSTEM

Specification:

1. Structure of MS Construction in 3 mm thick sheet & Painted
2. Super Grip 3 ply PVC Belt
3. Length & Width as required
4. Skid plates with sliding strips for smooth motion of belt
5. Side guides to avoid product falling



CONTACT DETAILS

For: operation & Sales Mr.Kapil Rana :- 9310503844 /7060156065

For :Service Support Mr. Ashish Rana/6395513017/

For commercials and customer support : Mr. Manish Soam - 9837310461

For any dispute or help : Mr. Rahul -9761780901

Email:-info@ushaelevators.co.in / enquiry@ushaelevators.co.in
kapilrana152@gmail.com

For know more - Web:-www.ushaelevators.co.in

The background of the image is a light-colored, marbled pattern with swirling veins of grey and beige. In the center, there is a white rectangular box with a thin orange border. Inside this box, the text "THANKING YOU FOR WATCHING US" is written in a bold, dark blue, serif font, arranged in three lines.

**THANKING YOU
FOR
WATCHING US**